

SECTION 1: IDENTIFICATION OF THE SUBSTANCE AND SUPPLIER

Product name:	First Drench Hi-Mineral
Product code:	A006859
Recommended use:	A combination drench for the control of levamisole or benzimidazole resistant roundworms, tapeworms, lungworms and adult fluke in lambs and sheep. Contains selenium, copper and cobalt.
Company details:	Boehringer Ingelheim Animal Health New Zealand Limited
Address:	Level 3, Boehringer Ingelheim Building 2 Osterley Way Manukau City Auckland 2104 New Zealand
Telephone number:	Phone: +64 9 263 1400
Emergency telephone number:	Boehringer Ingelheim Freephone: 0800 800 822 National Poisons Centre : 0800 764 766 (0800 POISON) Fire Service, Ambulance : Dial 111
Date of issue:	18 April 2006
Date of review:	4 February 2020

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Liquid

Product components:

<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
Albendazole	54965-21-8	25 g/L
Levamisole hydrochloride	16595-80-5	37.5 g/L
Praziquantel	55268-74-1	18.8 g/L
Copper sulphate pentahydrate	7758-99-8	8.3 g/L
Cobalt sulphate heptahydrate	10026-24-1	1.2 g/L
Sodium selenate	13410-01-0	1.2 g/L
Other		to 1 L

SECTION 3: HAZARDS IDENTIFICATION

Hazard classifications:	6.1E, 6.3B, 6.5B, 6.6B, 6.8A, 6.9B, 9.1A, 9.2C
Priority and secondary identifiers:	WARNING KEEP OUT OF REACH OF CHILDREN WARNING Dangerous to the environment
Risk and safety phrases:	6.1E May be harmful if swallowed. Handle with care. 6.3B May cause mild skin irritation. Avoid skin contact. 6.5B Repeated exposure may cause skin allergy. Avoid skin contact. 6.6B Albendazole and Levamisole HCl possibly may cause damage to genetic material. Handle with care. 6.8A Albendazole may affect development and/or reproduction. Handle with care. 6.9B Albendazole possibly may cause organ damage from repeated oral exposure at high doses. Levamisole HCl possibly may affect the blood and haematopoietic system. Handle with care. 9.1A Very toxic to aquatic organisms. Avoid contamination of any water supply with product or empty container. 9.2C Harmful to the soil environment. Avoid release to the

SAFETY DATA SHEET

Product Name: First Drench Hi-Mineral

Page 2 of 5
Reviewed on: 4 February 2020

environment.

SECTION 4: FIRST AID MEASURES

Necessary first aid measures:

For advice, contact the National Poisons Centre on 0800 POISON (0800 764 766), or a doctor immediately.

Ingestion: If swallowed, seek medical attention. Do NOT induce vomiting.

Eyes: If splashed in eyes, wash out immediately with water.

Skin: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Inhalation: Remove to fresh air.

Workplace facilities:

No special facilities required.

Required instructions:

Observe good work practices and avoid skin contact. Wash hands and exposed skin before meals and after use. Do not eat or drink while using. Launder protective clothing separately from other clothing, and before each reuse.

Notes for medical personnel:

Apply symptomatic therapy. Note the nature of the product (possible mutagen, reproductive/developmental toxin).

SECTION 5: FIRE FIGHTING MEASURES

Type of hazard:

Non flammable, Non combustible, Non explosive

Fire hazard properties:

First Drench Hi-Mineral is not classified as flammable, and will not support combustion. Hazardous fumes when heated to decomposition.

Regulatory requirements:

Not applicable

Extinguishing media and methods:

Treat the fire as for the other materials present. Do not allow water to enter drains.

Hazchem code:

2X

Recommended protective clothing:

When fighting a major fire wear full protective clothing including breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Emergency procedures:

Wear suitable protective clothing. Restrict access to contaminated area. Contain the spill and prevent further dispersion. Retrieve intact containers from site. Place damaged containers into containment devices. Absorb spills with inert material and place in waste containers. Wash the area with water and absorb with further inert material. Collect spilled material and place in sealable containers for subsequent disposal. Avoid contamination of water courses or sewers. Dispose of waste safely.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling:

Apply with well-maintained and calibrated equipment. Handle with care.

Regulatory requirements:

N/A

Handling practices:

N/A

Approved handlers:

Not required

Conditions for safe storage:

Store in a cool place with top secured. Keep out of reach of children

Store site requirements:

This substance is subject to a requirement for an emergency management plan, secondary containment and signage, whenever it is held in quantities of 100 L or more. See Hazardous Substances (Emergency management) regulations 25 to 42.

SAFETY DATA SHEET

Product Name: First Drench Hi-Mineral

Page 3 of 5
Reviewed on: 4 February 2020

Packaging: Packaging Schedule 3 (UN Packing Group III) for quantities >1 L (Hazardous Substances Packaging Regulations 2001).

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

Workplace exposure standards: Selenium compounds, as Se TWA 0.1 mg/m³
Copper fume TWA 0.2 mg/m³
Copper dusts & mists, as Cu TWA 1 mg/m³
Cobalt metal dust and fume, as Co TWA 0.05 mg/m³
Dusts 10 mg/m³

Application in the workplace: Prevent exposure by using engineering controls, personal protective equipment and work practices that prevent skin contact.

Exposure standards outside the workplace: TEL: Praziquantel, Skin surface deposition-2.83 mg/m² surface area
EEL: Copper (Cu²⁺) 0.0013 mg/L water

Engineering controls: Ensure that ventilation maintains dust levels below WES.

Personal protection: Clothing should consist of overalls with long sleeves and impervious gloves.

References: N/A

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Specify product data: Formulation type: Suspension
Appearance: Blue liquid
Specific gravity: ~1.0 g/ mL
Boiling Point: ca. 100 °C
pH: ~2.0 - 3.5
Vapour Pressure: NA
Solubility in Water: Insoluble, formulated as a suspension

Required specifications: N/A

Further specifications: N/A

Specific advice: N/A

SECTION 10: STABILITY AND REACTIVITY

Stability of the substance: Stable under normal conditions of use and storage.

Conditions to avoid: No specific conditions to avoid.

Material to avoid: No specific materials to avoid.

Hazardous decomposition products: No hazardous products are expected, except when heated to decomposition.

Hazardous polymerization: Components are not expected to form hazardous polymers.

Specific data: N/A

SECTION 11: TOXICOLOGICAL INFORMATION

Data and interpretation: May be harmful if swallowed. May cause mild skin irritation. Repeated exposure may cause skin allergy. Danger of serious damage to health by prolonged exposure if swallowed. Albendazole and Levamisole HCl possibly may cause damage to genetic material. Albendazole may affect development and/or reproduction. Albendazole possibly may cause organ damage from repeated oral exposure at high doses. Levamisole HCl possibly may affect the blood and haematopoietic system.

Summaries data: Albendazole: Benzimidazoles prevent tubulin polymerisation or spindle movement and their administration can result in aneuploidy. They are weak mutagens. Albendazole has low to moderate acute oral toxicity [LD₅₀ (oral, rabbit) 500-1250 mg/kg; LD₅₀ (oral, rat) 1320-2400 mg/kg; LD₅₀ (oral, mice) >3000 mg/kg]. Identified as a potential skin sensitiser by a positive result in a guinea pig

SAFETY DATA SHEET

Product Name: First Drench Hi-Mineral

Page 4 of 5
Reviewed on: 4 February 2020

maximisation test. In repeated oral dose studies toxic effects included reduced weight gain, reduced erythrocyte and leucocyte counts, decreased testes and uterine weights, slight increases in relative liver and kidney weights, and sternal bone marrow hypocellularity (lowest NOAEL 5 mg/kg/day). Teratogenicity (visceral, craniofacial and bone defects) has been demonstrated in animal studies (lowest NOEL was 5 mg/kg/day).

Levamisole HCl: Levamisole is a broad-spectrum anthelmintic with a long history of use in cattle and sheep. It has moderate to high acute toxicity [LD₅₀ (oral, rats & mice) = 200-500 mg/kg]. A potential mutagen [levamisole induced chromosome gaps and breaks in human lymphocytes in vitro and in vivo and levamisole hydrochloride induced an increase in the mitotic index, numerical chromosomal changes (aneuploidy, polyploidy) and structural chromosomal changes]. Haemolytic anaemia was the main toxic effect demonstrated in repeated dose animal studies (LOAEL 1.25mg/kg/day). In humans, levamisole has been associated with various non-specific effects (nausea, vomiting, rashes). Levamisole has induced leucopenia and agranulocytosis (idiosyncratic) at low doses.

Praziquantel: Praziquantel has low toxicity and is generally well tolerated [LD₅₀ (oral, rabbit) 1050 mg/kg].

Copper sulphate: Copper sulphate is a mild skin sensitiser. It is irritating to eyes, skin and the respiratory tract. Not likely to be toxic at levels used in drenches [LD₅₀ (oral, rat) 960 mg/kg]. Repeated oral dose studies identified nephrotoxicity (NOAEL 25 mg/kg) as a critical early target organ effect.

SECTION 12: ENVIRONMENTAL INFORMATION

Potential environmental interactions:

Very toxic to aquatic life and to the soil environment.

Data organisation :

Albendazole: Albendazole may be toxic to terrestrial vertebrates based on LD₅₀ data [LD₅₀ (oral, rabbit) 500-1250 mg/kg]. Not toxic to fish or honey bees. The potential for bioaccumulation is low and benzimidazoles are degraded in soil and probably also in water.

Levamisole HCl: Levamisole is potentially toxic to terrestrial vertebrates based on laboratory animal toxicity data [LD₅₀ (oral, rats & mice) = 200-500 mg/kg]. Not toxic to fish or honey bees. Levamisole does not bioaccumulate in biological systems. In soil, levamisole has a half-life of five to seventy five days depending on sunlight, soil type and climatic conditions. Levamisole binds strongly to soil particles and organic matter. It does not leach in soils and is readily degraded by hydrolysis and microbial action.

Praziquantel: An anthelmintic effective against cestodes and trematodes. A potential terrestrial vertebrate toxin based on acute toxicity data from laboratory species [LD₅₀ (oral, rabbit) 1050 mg/kg].

Copper sulphate: Very toxic to aquatic organisms [LC₅₀ (96hr, Rainbow trout) 0.032 mg/L; EC₅₀ (48hr, *Daphnia magna*) 0.18 mg/L]. Not readily biodegradable, copper persists. Toxic to terrestrial vertebrates based on an acute oral LD₅₀ (rat) of 960 mg/kg.

Sodium selenate: Very toxic to fish [LC₅₀ (96hr, Flathead minnow) 690 µg/L], to crustacea [LC₅₀ (48hr, *Grammarus pseudolimnaeus*) 83 µg/L] and algae [EC₅₀ (96hr, green algae) 0.2 mg/L]. Toxic to plants [EC₂₀ (22d) 0.1 mg/kg soil]. Toxic to terrestrial vertebrates based on an acute oral LD₅₀(rats) of 25 mg/kg. Selenium is bioaccumulative and persists.

Environmental risk and safety phrases:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Selenium)

SAFETY DATA SHEET

Product Name: First Drench Hi-Mineral

Page 5 of 5
Reviewed on: 4 February 2020

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal information :	Preferably dispose of the product by use. Otherwise dispose of product and packaging at an approved landfill or other approved facility. Burn empty container in an appropriate incinerator, if circumstances such as wind direction permit. Otherwise crush or puncture and bury in a suitable landfill. Do NOT use container for any other purpose.
-------------------------------	---

SECTION 14: TRANSPORT INFORMATION

Relevant information:	Dangerous Goods for transport. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Selenium) UN Number: 3082 Dangerous Goods Class: 9 The maximum quantity per package of this substance allowed for carriage on public transport is 1 L.
Other requirements:	N/A

SECTION 15: REGULATORY INFORMATION

Regulatory status:	Registered pursuant to the ACVM Act 1997, No. A006859 See www.foodsafety.govt.nz for registration conditions Approved pursuant to the HSNO Act, Approval Code HSR001919 See www.epa.govt.nz for approval conditions SDS is required for quantities greater than or equal to 0.1 L
HSNO and ACVM controls:	Refer to Section 3
List exposure limits:	N/A

SECTION 16: OTHER INFORMATION

Additional information:	For product information visit the Boehringer Ingelheim website www.boehringer-ingelheim.co.nz While the information set forth is believed to be accurate as of the date hereof, BOEHRINGER INGELHEIM makes no warranty with respect hereto and disclaims all liability from reliance thereon.
--------------------------------	--