

HAZNOTE

EMERGENCY INFORMATION AND STORAGE GUIDE/DANGEROUS GOODS DECLARATION							
FRONTLINE Plus for Cats							
Substance: Clear solution, 100 g/L fipronil, 120 g/L (S)-methoprene and >60% diethylene glycol monoethyl ether							
Proper shipping name: ETHYL ALCOHOL SOLUTION							
UN No.: UN 1170	DG Class: 3	Subsidiary Risk Class: 9	Packing Group: III	Flash Point (°C): 40	HAZ CHEM: 2Y[E]	Marine Pollutant: Yes	Maximum Transport Quantity: 250 L
Hazard Classifications HSR001859 3.1C, 6.1D, 6.3B, 6.4A, 6.9B, 9.1A, 9.3B, 9.4A					Tracking Required: No	Approved Handler: No	IER Guide: 16
EMERGENCY PROCEDURES				24 HOUR ADVICE IN AN EMERGENCY ONLY: 0800 800 822			
IF THIS HAPPENS	DO THIS						
Tanker/Vehicle Accident	Switch off engine and electrical equipment. Keep people away, warn other traffic. Check for spills, leaks. Call the emergency services: Dial 111						
Spill or leak	Wear overalls, chemical resistant gloves, boots and safety goggles. Prevent further spillage. Sweep up solids without generating dust. Wash down affected area with water plus detergent. Absorb and collect washings and place in the same sealable container for disposal. Seek advice from the local authority regarding disposal.						
Fire	Call the Fire Service: Dial 111. Wear PVC protective clothing and breathing apparatus. Extinguish fires with foam, dry chemical or carbon dioxide. During a fire toxic fumes may be released. Cool sealed drums with water to prevent rupture due to thermal expansion. Contain run-off. Keep non-involved persons away.						
FIRST AID							
If Swallowed:	Do NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.						
If in Eyes:	Hold eyelids apart and flush the eye continuously with running water for at least 15 minutes. Get medical attention.						
If on Skin:	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If irritation occurs, get medical attention.						
If Inhaled:	Remove patient to fresh air. If not breathing, give artificial respiration, preferably mouth-to-nose. Get medical attention if symptoms develop.						
STORAGE AND SEGREGATION SUMMARY							
Storage: Store in original container in a locked, dry, cool area away from foodstuffs, children and animals. Keep container sealed when not in use.							
Aggregate Storage Volume Thresholds: When stored with substances of the same hazard the aggregate quantity must be considered. For full details refer to the current NZS8409 Management of Agrichemicals and the HSNO Regulations.							
Location Certificate: 250 L	Hazardous Atmosphere Zone: 100 L	Number of Fire Extinguishers: 2 / 500 L	Hazard Class & Emergency Action Signage: >100 L	Emergency Information: Level 2: 1 L	Emergency Plan: 100 L	Secondary Containment: 100 L	
DO NOT Store or Load With: 1, 2.1, 2.3, 4.2, 5.1, 5.2, 7				Segregate From: 4.2, 4.3, 5.1, 5.2			
Segregation: Check the latest Land Transport Rule Dangerous Goods, Rule 45001 for additional information. Sea transport may require additional segregation. Refer NZS5433 sea segregation for details.							
No & Kind of Packages:				Gross Wgt: Kg	Volume: m³		
Consignor:				Consignee:			
Dangerous Goods Declaration:				Name:			
I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name and are classified, packaged, marked and labelled, and are in all respects in proper condition for transport according to the applicable international and national rules, regulations and legislation.				Title:			
				Signature:		Date:	

DISCLAIMER: The information provided above is based upon sources believed to be accurate. However, Boehringer Ingelheim assumes no responsibility for the accuracy, completeness or suitability of this information. The consignor and consignee are responsible to determine the suitability of this information for their particular purposes by consulting the relevant legislation, regulations, standards or codes.