

HAZNOTE

EMERGENCY INFORMATION AND STORAGE GUIDE/DANGEROUS GOODS DECLARATION							
Frontline Spray							
Substance: Flammable liquid containing 2.5 g/L fipronil and >60% propanol							
Proper shipping name ISOPROPYL ALCOHOL SOLUTION							
UN No.: UN 1219	DG Class: 3	Subsidiary Risk Class: 9	Packing Group: II	Flash Point (°C): 18	HAZ CHEM: 2Y[E]	Marine Pollutant: Yes	Maximum Transport Quantity: 250 L
Hazard Classifications: HSR001819 3.1B, 6.1E, 6.3B, 6.4A, 9.1B, 9.3C, 9.4A					Tracking Required: No	Approved Handler: >500 L	IER Guide: 16
EMERGENCY PROCEDURES				24 HOUR ADVICE IN AN EMERGENCY ONLY: 0800 800 822			
IF THIS HAPPENS		DO THIS					
Tanker/Vehicle Accident		Switch off engine and electrical equipment. Keep people away, warn other traffic. Check for spills, leaks. Call the emergency services: Dial 111					
Spill or leak		Wear overalls, chemical resistant gloves, boots and safety goggles. Prevent further spillage. Sweep up solids without generating dust. Wash down affected area with water plus detergent. Absorb and collect washings and place in the same sealable container for disposal. Seek advice from the local authority regarding disposal.					
Fire		Call the Fire Service: Dial 111. Wear PVC protective clothing and breathing apparatus. Extinguish fires with foam, dry chemical or carbon dioxide. During a fire toxic fumes may be released. Cool sealed drums with water to prevent rupture due to thermal expansion. Contain run-off. Keep non-involved persons away.					
FIRST AID							
If Swallowed:		Do NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.					
If in Eyes:		Hold eyelids apart and flush the eye continuously with running water for at least 15 minutes. Get medical attention.					
If on Skin:		If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.					
If Inhaled:		Remove patient to fresh air. If not breathing, give artificial respiration, preferably mouth-to-nose. Get medical attention if symptoms develop.					
STORAGE AND SEGREGATION SUMMARY							
Storage: Store in original container in a locked, dry, cool area away from foodstuffs, children and animals. Keep container sealed when not in use.							
Aggregate Storage Volume Thresholds: When stored with substances of the same hazard the aggregate quantity must be considered. For full details refer to the current NZS8409 Management of Agrichemicals and the HSNO Regulations.							
Location Certificate: 250 L	Hazardous Atmosphere Zone: 100 L	Number of Fire Extinguishers: 2 > 250 L	Hazard Class & Emergency Action Signage: >100 L	Emergency Information: Level 2: 1 L	Emergency Plan: 1000 L	Secondary Containment: 1000 L	
DO NOT Store or Load With: 1, 2.1, 2.3, 4.2, 5.1, 5.2, 7				Segregate From: 4.2, 4.3, 5.1, 5.2			
Segregation: Check the latest Land Transport Rule Dangerous Goods, Rule 45001 for additional information. Sea transport may require additional segregation. Refer NZS5433 sea segregation for details.							
No & Kind of Packages:				Gross Wgt:	Kg	Volume:	m³
Consignor:				Consignee:			
Dangerous Goods Declaration: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name and are classified, packaged, marked and labelled, and are in all respects in proper condition for transport according to the applicable international and national rules, regulations and legislation.				Name:			
				Title:			
				Signature:		Date:	